

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S52 6	4165	templates same select	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:27
S52 7	138	S526 and fund	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:27
S52 8	76	S526 and fund and financial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:38
S52 9	2	"11020405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:37
S53 0	0	/	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:37
S53 1	1	"11/020405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:37
S53 2	0	S526 and fund and financial and (business near2 templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:38
S53 3	10	S526 and fund and financial and (business near2 templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:06

EAST Search History

S53 4	0	"6694309".pn. and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:06
S53 5	1	"6694309".pn. and templates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:07
S53 6	5	(spreadsheet near2 program) and (select with template with spreadsheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:09
S53 7	26	(spreadsheet near2 program) and (select same template same spreadsheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:09
S53 8	5	(spreadsheet near2 program) and (select same template same spreadsheet) and OLAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:10
S53 9	0	(templates same (create with preadsheet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:13
S54 0	2	"20020138527"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:28
S54 1	1	11/020405	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:30

EAST Search History

S54 2	258	creat\$3 same spreadsheet same template,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:31
S54 3	258	creat\$3 same spreadsheet same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:45
S54 4	19	creat\$3 same spreadsheet same (selected with template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:44
S54 5	834	(download\$3 with financial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:44
S54 6	0	(download\$3 with financial) and (templates samepreadsheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:44
S54 7	0	(download\$3 with financial) and (templates) and (preadsheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:45
S54 8	0	(download\$3 same financial) and (templates) and (preadsheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:45
S54 9	4	S543 and S545	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:47

EAST Search History

S55 0	10568	(XML same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:48
S55 1	517	S550 and (download same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:48
S55 2	0	S550 and (download same xml) and ((create with sheet) same template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:48
S55 3	59	S550 and (download same xml) and (create same template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:54
S55 4	0	S550 and (download same xml) and ((create with report) same (select\$3 with template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:55
S55 5	43	((create with report) same (select\$3 with template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 10:23
S55 6	0	"10727258"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 10:24
S55 7	0	/	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 10:24

EAST Search History

S55 8	1	"10/727258"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:44
S55 9	250	(synchroniz same structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 10:29
S56 0	8671	(synchronizing same structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 10:29
S56 1	1	(synchronizing same structure same relational same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 10:30
S56 2	16	(synchronizing same structure same relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:06
S56 3	2	"20020161778"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:06
S56 4	1	"10/727258" and synchroniz\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:47
S56 5	6	(synchronizing with structure with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:48

EAST Search History

S56 6	6	(synchronizing with structure same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:48
S56 7	5	(synchronize with structure same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:49
S56 8	23	(synchronize same structure same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:51
S56 9	259	(transform same structure same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 11:51
S57 0	16	(convert\$3 with (database near2 structure) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:08
S57 1	7	(transform\$3 with (database near2 structure) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:09
S57 2	30	(convert\$3 same (database near2 structure) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:13
S57 3	189	(convert\$3 same (relational near2 database) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:25

EAST Search History

S57 4	39	(convert\$3 same (relational near2 database) same xml) same structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:24
S57 5	1	(synchroniz\$3 same (relational near2 database) same xml) same structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:24
S57 6	26	(convert\$3 same (relational near2 database) same xml).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:27
S57 7	5	(convert\$3 same ((relational near2 database) with structure) same xml).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:36
S57 8	0	(translate same ((relational near2 database) with structure) same xml).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:37
S57 9	0	(translat\$ same ((relational near2 database) with structure) same xml).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 12:37
S58 0	102	((convert\$3 with structure) same xml).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 10:29
S58 1	4	"6571250".pn. or "6647386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 12:43

EAST Search History

S58 2	2	"20020188629"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:00
S58 3	2	"6694309".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:08
S58 4	0	(client near2 system) same spreadsheet same (business near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:08
S58 5	3	(client same spreadsheet same (business near2 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:09
S58 6	1	(client same spreadsheet same (investment near2 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:10
S58 7	95	(client same spreadsheet same (database near2 application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:10
S58 8	15	S587 and templates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:11
S58 9	4	S587 and templates and download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:30

EAST Search History

S59 0	8926	707/102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:30
S59 1	9339	707/102 or 715/523	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:30
S59 2	0	S591 and (convert\$ same XML) and download and (spreadsheet near2 (program or application)) and (preadsheet near2 templates) and financial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:33
S59 3	0	S591 and (convert\$ same XML) and download and (spreadsheet near2 (program or application)) and (spreadsheet near2 templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:32
S59 4	0	S591 and (convert\$ same XML) and download and (spreadsheet near2 (program or application)) and (worksheet near2 templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:32
S59 5	0	S591 and (convert\$ same XML) and download and (spreadsheet near2 (program or application)) and (templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:32
S59 6	4	S591 and (convert\$ same XML) and download and (spreadsheet) and templates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:33
S59 7	0	(convert\$ same XML) and download and (spreadsheet near2 (program or application)) and (preadsheet near2 templates) and financial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:34

EAST Search History

S59 8	0	download and (spreadsheet near2 (program or application)) and (preadsheet near2 templates) and financial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:33
S59 9	0	download\$3 and (spreadsheet near2 (program or application)) and (preadsheet near2 templates) and financial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:33
S60 0	5	download\$3 and (spreadsheet near2 (program or application)) and (spreadsheet near2 templates) and financial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:34
S60 1	1	(convert\$ same XML) and download and (spreadsheet near2 (program or application)) and (spreadsheet near2 templates) and financial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:35
S60 2	1	(convert\$ same XML) and download and (spreadsheet near2 (program or application)) and (spreadsheet near2 templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:35
S60 3	1	(convert\$ same XML) and download\$ and (spreadsheet near2 (program or application)) and (spreadsheet near2 templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:35
S60 4	17	download\$ and (spreadsheet near2 (program or application)) and (spreadsheet near2 templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 16:54
S60 5	342	(investment near2 application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 16:54

EAST Search History

S60 6	1	(investment near2 application) same templates	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 16:55
S60 7	0	(investment near2 application) and (spreadsheets same templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 16:55
S60 8	6	(investment near2 application) and (spreadsheets and templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 16:55
S60 9	210	(business near2 application) and (spreadsheets and templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 16:56
S61 0	6	(business near2 application) and (spreadsheets same templates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:09
S61 1	195	(templates same (business near2 process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:09
S61 2	6	(templates same (business near2 process)) and (create same spreadsheets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:10
S61 3	16	(templates same (business near2 process)) and (select near2 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:13

EAST Search History

S61 4	14	(templates same (business near2 process)) and (create with report same template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:18
S61 5	5	(templates same (business near2 process\$3)) and (create same spreadsheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:24
S61 6	0	(templates same (business near2 process\$3)) and (creat\$3 with report41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:24
S61 7	0	(templates same (business near2 process\$3)) and (creat\$3 with report1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:24
S61 8	49	(templates same (business near2 process\$3)) and (creat\$3 with report\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:29
S61 9	103	(templates same (business near2 process\$3)) and (select\$3 with template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 17:30

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

converting a database in a xml by using a vers

[Search](#)[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 993,000 for **converting a database in a xml by using a version of a software**. (0.72 seconds)**XML conversion solutions**www.exegenix.com High quality cost-effective output; **software** or service – try it free!

Sponsored Links

Sponsored Links

Powerful XML Conversionwww.MarkLogic.com Automatic **XML** conversion of popular document formats without shredding.**XML Database Tool**Edit **XML**, DTD, Schema, XSLT & SOAP
Easy-to-Use. Download a Free Trial!
www.Altova.com/**XMLSpy****ASP scripts PHP scripts Java JavaScripts scripts Perl JSP CGI**We provide asp web **database** solutions and web designing services. ... Web Development codes Web Scripts web design & developer scripts Web Scripts **software** ...www.webscriptlist.com/scripts/ - 48k - [Cached](#) - [Similar pages](#)**Database Conversion**Have your data migrated or converted quickly and efficiently.
www.HarvestAmerican.com**DB2 Database for Linux, UNIX, and Windows**XML schema, DTD, and external entity management **using the XML schema** ...
db2ConvMonStream - **Convert** the monitor stream to the pre-**version** 6 format ...
publib.boulder.ibm.com/infocenter/db2luw/v9/index.jsp - [Similar pages](#)**Easy Data Conversion Tool**From/To **XML**, Text File, **Database**
Visual, Any dB & OS, \$180 Free Demo
www.qoppa.com**ibm websphere 信息 中心**Securing Web services **using XML** digital signature ... Migrating **Version** 3.5.x or **Version** 4.0.x of WebSphere Application Server to **Version** 5.x ...
publib.boulder.ibm.com/infocenter/wasinfo/index.jsp - [Similar pages](#)**Title Index**... Definitions of Managed Objects for ATM Management **Version** 8.0 using SMIV2 ...
Ethernet Address Resolution Protocol: Or **converting** network protocol ...
dret.net/rfc-index/titles - [Similar pages](#)**Oracle database navigator Sonswish browser convert xls to xml ...**XML Converter allows you to create an **XML database**. This **software** gives you ability to generate an output as a set of **XML** tables. By **using** comprehensive ...
rustemsoft.com/downloadSonswish.htm - 34k - [Cached](#) - [Similar pages](#)**convert xml to csv, excel to XML, excel XML Converter csv xml ...**XML Converter allows you to create an **XML database**. This **software** gives you ... to HTML-view **using** the well-known MS Internet Explorer and a latest **version** ...
rustemsoft.com/xmlconverter1.htm - 34k - [Cached](#) - [Similar pages](#)
[[More results from rustemsoft.com](#)]**TEI Software page**However, depending upon which **version** of oXygen you are **using**, ... Building on the native **XML database** eXist and a text engine search library Lucene, ...
www.tei-c.org/Software/index.xml?style=raw - 16k - [Cached](#) - [Similar pages](#)**convert excel to XML Converter excel convert - ODBC, csv, Oracle ...**XML Converter allows you to create an **XML database**. This **software** gives you ability ... **using** the well-known MS Internet Explorer® and a latest **version** of ...
www.xmlfox.com/XMLConverter.htm - 36k - [Cached](#) - [Similar pages](#)**Cover Pages: Public SGML/XML Software**Sgrep is a tool to search and index text, SGML, **XML** and HTML files **using** structured

patterns. Features new in **version 1.17** include: "1) Indexing of both ...
xml.coverpages.org/publicSW.html - 297k - Cached - Similar pages

Convert legacy data files using ParseRat Data, Database and File ...

ParseRat's fully functional 30 day trial **version** may be downloaded from many places including directly from Guy **Software**: ...
www.guysoftware.com/parserat.htm - 32k - Cached - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10 [**Next**](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google